

**Amendments to the Drawings**

The attached sheet of drawings includes changes to Fig. **1D**. This sheet includes only Fig. **1D**, and replaces the original sheet including Fig. **1D**. In Fig. **1D**, reference numerals **60**, **62** are replaced with numerals **62**, **60**, respectively; and one instance of a reference numeral **70** is corrected to **74**.

Attachment: Replacement Sheet  
Annotated Sheet Showing Changes.

(A complete set of formal drawings accompanies this response, the formal drawing including sheets 1 / 1 through 9 / 9.)




FIG. 1D  
(PRIOR ART)





FIG. 1A  
(PRIOR ART)




FIG. 1B  
(PRIOR ART)





FIG. 1C  
(PRIOR ART)




FIG. 1D  
(PRIOR ART)





FIG. 1E  
(PRIOR ART)





FIG. 1F  
(PRIOR ART)




FIG. 2







FIG. 3



FLY HEIGHT VARIATION AT READ / WRITE SENSORS  
PER DEGREE OF ROLL STATIC ATTITUDE

	ZONE 1	ZONE 2	ZONE 3	ZONE 4
PRESENT INVENTION ONE PAD SLIDER	1.52 %	3.71 %	10.91 %	18.74 %
PRIOR ART TWO PAD SLIDER	25.01 %	22.85 %	22.00 %	25.81 %

FIG. 4





FIG. 5